Author Index

Alexander, I.J. *see* Villarreal-Ruiz, L.
Anderson, I.C. *see* Villarreal-Ruiz, L.
Appel, H. *see* Arnold, T.
Arnold, T., Appel, H., Patel, V., Stocum, E., Kavalier, A. & Schultz, J. Carbohydrate translocation determines the phenolic content of *Populus* foliage: a test of the sink–source model of plant defense, 157
Arteca, R.N. *see* Sinn, J.P.
Austin, A.T. The human footprint in ecology – past, present and future, 419
Avio, L. *see* Giovannetti, M.

Berger, C. *see* Lambilliotte, R.
Bhandari, S. *see* Joshi, C.P.
Black, C.R. *see* Hutchinson, J.J.
Blanke, M.M. *see* Tartachnyk, I.I.
Blaudez, D. *see* Kohler, A.
Bobbink, R. *see* Paulissen, M.P.C.P.
Bodin, S. *see* Marquès, L.
Boerjan, W. *see* Yin, T.-M.
Bonfante, P. *see* Murat, C.
Brader, A. *see* van der Heijden, M.G.A.
Brunner, A.M. & Nilsson, O. Revisiting tree maturation and floral initiation in the poplar functional genomics era, 43

Cabrera-Ponce, J.L. *see* León-Ramírez, C.G.
Campbell, M.M. *see* Rogers, L.A.
Campbell, M.M. *see* Smith, C.M.
Cánovas, F.M. *see* Jing, Z.P.
Cavagnaro, T.R., Smith, F.A. & Smith, S.E. Interactions between arbuscular mycorrhizal fungi and a mycorrhiza-defective mutant tomato: does a noninfective fungus alter the ability of an infective fungus to colonise the roots – and vice versa?, 485
Chalot, M. *see* Kohler, A.
Cheplick, G.P. Symbiotic fungi and clonal physiology, 413
Chevalier, G. *see* Murat, C.
Clay, K. *see* Pan, J.J.
Colpaert, J.V. *see* Hobbie, E.A.
Colpaert, J.V. *see* Muller, L.A.H.
Comes, H.P. The Mediterranean region – a hotspot for plant biogeographic research, 11
Cooke, R. *see* Lambilliotte, R.
Cossegal, M. *see* Marquès, L.
Costa, G. *see* Lafarguette, F.
Czernic, P. *see* Marquès, L.

Dees, A.J. *see* Paulissen, M.P.C.P.
Déjardin, A. *see* Lafarguette, F.
Déjardin, A. *see* Pilate, G.
Delaruelle, C. *see* Murat, C.
Delseny, M. *see* Lambilliotte, R.
Denich, T. *see* Piotrowski, J.S.
Dickie, I.A., Guza, R.C., Krazewski, S.E. & Reich, P.B. Shared ectomycorrhizal fungi between a herbaceous perennial (*Helianthemum bicknellii*) and oak (*Quercus*) seedlings, 375
Díez, J. *see* Murat, C.
DiFazio, S.P. *see* Yin, T.-M.
Donnelly, A. *see* Jones, M.B.
Döring, H. *see* Wedin, M.
Dupré, C. *see* Murat, C.

Edmonds, R.L. *see* Trudell, S.A.

Fitter, A.H. Magnolioid roots – hairs, architecture and mycorrhizal dependency, 15
Fizames, C. *see* Lambilliotte, R.
Fry, S.C. *see* Popper, Z.A.
Fujino, T. *see* Joshi, C.P.
Futai, K. *see* Hirose, D.

Gallardo, F. *see* Jing, Z.P.
Gargas, A. *see* Landis, F.C.
Gaymard, F. *see* Lambilliotte, R.
Gebauer, G. *see* Taylor, A.F.S.
Gilenstam, G. *see* Wedin, M.
Giovannetti, M., Sbrana, C., Avio, L. & Strani, P. Patterns of below-ground plant interconnections established by means of arbuscular mycorrhizal networks, 175
Givnish, T.J. *see* Landis, F.C.
Graham, J.M. *see* Piotrowski, J.S.
Grunze, N., Willmann, M. & Nehls, U. The impact of ectomycorrhiza formation on monosaccharide transporter gene expression in poplar roots, 147
Gunter, L.E. *see* Yin, T.-M.
Güsewell, S. N : P ratios in terrestrial plants: variation and functional significance, 243
Guza, R.C. *see* Dickie, I.A.

van der Heijden, M.G.A., Scheublin, T.R. & Brader, A. Taxonomic and functional diversity in arbuscular mycorrhizal fungi – is there any relationship?, 201
Herrera-Estrella, L. *see* León-Ramírez, C.G.
Hider, R.C., Yoshimura, E., Khodr, H. & von Wirén, N. Competition or complementation: the iron-chelating abilities of nicotianamine and phytosiderophores, 204
Hirose, D., Kikuchi, J., Kanzaki, N. & Futai, K. Genet distribution of sporocarps and ectomycorrhizas of *Suillus pictus* in a Japanese white pine plantation, 527

Hobbie, E.A. & Colpaert, J.V. Nitrogen availability and mycorrhizal colonization influence water use efficiency and carbon isotope patterns in *Pinus sylvestris*, 515

Hubscher, S.L. *see* Tsai, C.-J.

Hutchinson, J.J., Young, S.D., Black, C.R. & West, H.M. Determining uptake of radio-labile soil cadmium by arbuscular mycorrhizal hyphae using isotopic dilution in a compartmented-pot system, 477

Jakobsen, I. *see* Munkvold, L.

Jakobsen, I. Hyphal fusion to plant species connections – giant mycelia and community nutrient flow, 4

Jawdy, S.S. *see* Yin, T.-M.

Jing, Z.P., Gallardo, F., Pascual, M.B., Sampalo, R., Romero, J., de Navarra, A.T. & Cánovas, F.M. Improved growth in a field trial of transgenic hybrid poplar overexpressing glutamine synthetase, 137

Jokela, S. *see* Juuti, J.T.

Jones, M.B. & Donnelly, A. Carbon sequestration in temperate grassland ecosystems and the influence of management, climate and elevated CO_2, 423

Joshi, C.P., Bhandari, S., Ranjan, P., Kalluri, U.C., Liang, X., Fujino, T. & Samuga, A. Genomics of cellulose biosynthesis in poplars, 53

Juuti, J.T., Jokela, S., Paulin, L., Timonen, S. & Sen, R. *Suillus bovinus* glutamine synthetase gene organization, transcription and enzyme activities in the Scots pine mycorrhizosphere developed on forest humus, 389

Kahmann, R. & Kämper, J. *Ustilago maydis*: how its biology relates to pathogenic development, 31

Kalluri, U.C. *see* Joshi, C.P.

Kämper, J. *see* Kahmann, R.

Kanzaki, N. *see* Hirose, D.

Karlsson, J. *see* Smith, C.M.

Karsenty, E. *see* Lambilliotte, R.

Kavalier, A. *see* Arnold, T.

Khodr, H. *see* Hider, R.C.

Kikuchi, J. *see* Hirose, D.

Kjøller, R. *see* Munkvold, L.

Klironomos, J.N. *see* Piotrowski, J.S.

Klumpp, K. *see* Lötscher, M.

Kohler, A., Blaudez, D., Chalot, M. & Martin, F. Cloning and expression of multiple metallothioneins from hybrid poplar, 83

Krazewski, S.E. *see* Dickie, I.A.

Kytöviita, M.-M. *see* Nuortila, C.

Lafarguette, F., Leplé, J.-C., Déjardin, A., Laurans, F., Costa, G., Lesage-Descauses, M.-C. & Pilate, G. Poplar genes encoding fasciclin-like arabinogalactan proteins are highly expressed in tension wood, 107

Lambaerts, M. *see* Muller, L.A.H.

Lambilliotte, R., Cooke, R., Samson, D., Fizames, C., Gaymard, F., Plassard, C., Tatry, M.-V., Berger, C., Laudié, M., Legeai, F., Karsenty, E., Delseny, M., Zimmermann, S. & Sentenac, H. Large-scale identification of genes in the fungus *Hebeloma cylindrosporum* paves the way to molecular analyses of ectomycorrhizal symbiosis, 505

Landis, F.C., Gargas, A. & Givnish, T.J. Relationships among arbuscular mycorrhizal fungi, vascular plants and environmental conditions in oak savannas, 493

Laudié, M. *see* Lambilliotte, R.

Laurans, F. *see* Lafarguette, F.

Laurans, F. *see* Pilate, G.

Lebrun, M. *see* Marquès, L.

Legeai, F. *see* Lambilliotte, R.

León-Ramírez, C.G., Cabrera-Ponce, J.L., Martínez-Espinoza, A.D., Herrera-Estrella, L., Méndez, L., Reynaga-Peña, C.G. & Ruiz-Herrera, J. Infection of alternative host plant species by *Ustilago maydis*, 337

Leplé, J.-C. *see* Lafarguette, F.

Leplé, J.-C. *see* Pilate, G.

Lesage-Descauses, M.-C. *see* Lafarguette, F.

Liang, X. *see* Joshi, C.P.

Lindahl, B.D. & Taylor, A.F.S. Occurrence of *N*-acetylhexosaminidase-encoding genes in ectomycorrhizal basidiomycetes, 193

Lötscher, M., Klumpp, K. & Schnyder, H. Growth and maintenance respiration for individual plants in hierarchically structured canopies of *Medicago sativa* and *Helianthus annuus*: the contribution of current and old assimilates, 305

Luis, P. *see* Murat, C.

Marquès, L., Cossegal, M., Bodin, S., Czernic, P. & Lebrun, M. Heavy metal specificity of cellular tolerance in two hyperaccumulating plants, *Arabidopsis halleri* and *Thlaspi caerulescens*, 289

Martínez-Espinoza, A.D. *see* León-Ramírez, C.G.

Martin, F. *see* Kohler, A.

Martin, F. *see* Murat, C.

Martin, F.M. *see* Strauss, S.H.

Meijer, A.H. *see* Scarpella, E.

Méndez, L. *see* León-Ramírez, C.G.

Muller, L.A.H., Lambaerts, M., Vangronsveld, J. & Colpaert, J.V. AFLP-based assessment of the effects of environmental heavy metal pollution on the genetic structure of pioneer populations of *Suillus luteus*, 297

Mulligan, B.J. *see* Yang, C.

Munkvold, L., Kjøller, R., Vestberg, M., Rosendahl, S. & Jakobsen, I. High functional diversity within species of arbuscular mycorrhizal fungi, 357

Murat, C., Díez, J., Luis, P., Delaruelle, C., Dupré, C., Chevalier, G., Bonfante, P. & Martin, F. Polymorphism at the ribosomal DNA ITS and its relation to postglacial re-colonization routes of the Perigord truffle *Tuber melanosporum*, 401

de Navarra, A.T. *see* Jing, Z.P.
Nehls, U. *see* Grunze, N.
Nilsson, O. *see* Brunner, A.M.
Nuortila, C., Kytöviita, M.-M. & Tuomi, J. Mycorrhizal symbiosis has contrasting effects on fitness components in *Campanula rotundifolia*, 543

Pan, J.J. & Clay, K. *Epichloë glyceriae* infection affects carbon translocation in the clonal grass *Glyceria striata*, 467
Pascual, M.B. *see* Jing, Z.P.
Patel, V. *see* Arnold, T.
Paulin, L. *see* Juuti, J.T.
Paulissen, M.P.C.P., van der Ven, P.J.M., Dees, A.J. & Bobbink, R. Differential effects of nitrate and ammonium on three fen bryophyte species in relation to pollutant nitrogen input, 451
Pell, E.J. *see* Sinn, J.P.
Pilate, G. *see* Lafarguette, F.
Pilate, G., Déjardin, A., Laurans, F. & Leplé, J.-C. Tension wood as a model for functional genomics of wood formation, 63
Piotrowski, J.S., Denich, T., Klironomos, J.N., Graham, J.M. & Rillig, M.C. The effects of arbuscular mycorrhizas on soil aggregation depend on the interaction between plant and fungal species, 365
Plassard, C. *see* Lambilliotte, R.
Popper, Z.A. & Fry, S.C. Primary cell wall composition of pteridophytes and spermatophytes, 165

Ranjan, P. *see* Joshi, C.P.
Read, D.J. *see* Taylor, A.F.S.
Reich, P.B. *see* Dickie, I.A.
Reynaga-Peña, C.G. *see* León-Ramírez, C.G.
Rillig, M.C. *see* Piotrowski, J.S.
Rodriguez-Buey, M. *see* Smith, C.M.
Rogers, L.A. & Campbell, M.M. The genetic control of lignin deposition during plant growth and development, 17
Romero, J. *see* Jing, Z.P.
Rosendahl, S. *see* Munkvold, L.
Ruiz-Herrera, J. *see* León-Ramírez, C.G.
Rygiewicz, P.T. *see* Trudell, S.A.

Sampalo, R. *see* Jing, Z.P.
Samson, D. *see* Lambilliotte, R.
Samuga, A. *see* Joshi, C.P.
Sanders, I.R. Plant and arbuscular mycorrhizal fungal diversity – are we looking at the relevant levels of diversity and are we using the right techniques?, 415
Sbrana, C. *see* Giovannetti, M.
Scarpella, E. & Meijer, A.H. Pattern formation in the vascular system of monocot and dicot plant species, 209
Scheublin, T.R. *see* van der Heijden, M.G.A.
Schlagnhaufer, C.D. *see* Sinn, J.P.
Schnyder, H. *see* Lötscher, M.
Schultz, J. *see* Arnold, T.
Sen, R. *see* Juuti, J.T.
Sentenac, H. *see* Lambilliotte, R.
Sinn, J.P., Schlagnhaufer, C.D., Arteca, R.N. & Pell, E.J. Ozone-induced ethylene and foliar injury responses are altered in 1-aminocyclopropane-1-carboxylate synthase antisense potato plants, 267
Smith, C.M., Rodriguez-Buey, M., Karlsson, J. & Campbell, M.M. The response of the poplar transcriptome to wounding and subsequent infection by a viral pathogen, 123
Smith, F.A. *see* Cavagnaro, T.R.
Smith, S.E. *see* Cavagnaro, T.R.
Stocum, E. *see* Arnold, T.
Strani, P. *see* Giovannetti, M.
Strauss, S.H. & Martin, F.M. Poplar genomics comes of age, 1

Tartachnyk, I.I. & Blanke, M.M. Effect of delayed fruit harvest on photosynthesis, transpiration and nutrient remobilization of apple leaves, 441
Tatry, M.-V. *see* Lambilliotte, R.
Taylor, A.F.S. *see* Lindahl, B.D.
Taylor, A.F.S., Gebauer, G. & Read, D.J. Uptake of nitrogen and carbon from double-labelled (^{15}N and ^{13}C) glycine by mycorrhizal pine seedlings, 383
Timonen, S. *see* Juuti, J.T.
Treseder, K.K. A meta-analysis of mycorrhizal responses to nitrogen, phosphorus, and atmospheric CO_2 in field studies, 347
Trudell, S.A., Rygiewicz, P.T. & Edmonds, R.L. Patterns of nitrogen and carbon stable isotope ratios in macrofungi, plants and soils in two old-growth conifer forests, 317
Tsai, C.-J. & Hubscher, S.L. Cryopreservation in *Populus* functional genomics, 73
Tuomi, J. *see* Nuortila, C.
Tuskan, G.A. *see* Yin, T.-M.

Vangronsveld, J. *see* Muller, L.A.H.
van der Ven, P.J.M. *see* Paulissen, M.P.C.P.
Vestberg, M. *see* Munkvold, L.
Villarreal-Ruiz, L., Anderson, I.C. & Alexander, I.J. Interaction between an isolate from the *Hymenoscyphus ericae* aggregate and roots of *Pinus* and *Vaccinium*, 183
Vrålstad, T. Are ericoid and ectomycorrhizal fungi part of a common guild?, 7

Wedin, M., Döring, H. & Gilenstam, G. Saprotrophy and lichenization as options for the same fungal species on different substrata: environmental plasticity and fungal lifestyles in the *Stictis–Conotrema* complex, 459
West, H.M. *see* Hutchinson, J.J.
Willmann, M. *see* Grunze, N.
Wilson, Z.A. *see* Yang, C.
von Wirén, N. *see* Hider, R.C.

Yang, C., Mulligan, B.J. & Wilson, Z.A. Molecular genetic analysis of pollen irradiation mutagenesis in *Arabidopsis*, 279

Yin, T.-M., DiFazio, S.P., Gunter, L.E., Jawdy, S.S., Boerjan, W. & Tuskan, G.A. Genetic and physical mapping of *Melampsora* rust resistance genes in *Populus* and characterization of linkage disequilibrium and flanking genomic sequence, 95

Yoshimura, E. *see* Hider, R.C.
Young, S.D. *see* Hutchinson, J.J.

Zimmermann, S. *see* Lambilliotte, R.

Key word Index

^{13}C labelling, 305
^{13}C, 317
^{15}N, 317
1-aminocyclopropane-1-carboxylate synthase (ACS), 267
24 *Glomus* isolates, 357

AFLP (amplified fragment length polymorphism), 297
AMF species richness, 415
AMF spore morphology, 415
amino acid, 383
ammonium, 451
anastomosis, 4, 175
angiosperms, 165
antisense, 267
arabidopsis, 17
Arabidopsis, 279
Arabidopsis halleri, 289
arabinogalactan protein, 107
arbuscular mycorrhiza, 15, 357
arbuscular mycorrhiza (AM), 477
arbuscular mycorrhizal fungal diversity, 415
arbuscular mycorrhizal fungi, 201, 365
arbuscular mycorrhizal (AM) fungi, 4
arbuscular mycorrhizas, 485
arbuscular mycorrhizas (AMF), 493
axenic cultures, 337

basidiomycetes, 193
biodiversity, 201
biogeography, 11
biogeosciences, 419
biomass, 527
Boreal forest, 7
boreal forest succession, 459
bryophytes, 451

cadmium (Cd), 289, 477
Cadophora finlandia, 7, 183
cAMP, 31
Campanula rotundifolia, 543
carbohydrate support, 147
carbon, 383
carbon dioxide enrichment, 347
carbon movement, 467
carbon sequestration, 423
carbon translocation, 413
carbon use efficiency, 305
cell walls (primary), 165
cellular tolerance, 289
cellulose, 63
cellulose biosynthesis, 53
cellulose synthase, 53
Cenococcum geophilum, 375
chelation, 204
chitin degradation, 193
chlorophyll, 441
climate change, 423
clonal plants, 413, 467
colonisation, 485
Common mycorrhizal network (CMN), 7
community composition, 493
compound-specific, 515
condensed tannin, 157
corn smut, 337
critical N : P ratios, 243
cross protection, 485
cryopreservation, 73
Cucumber (*Cucumber sativus*), 201
Cucumis sativus (cucumber), 357

deletions, 279
dimorphism, 31
disease-resistance genes, 95
DNA marker maps, 1
DNA microarrays, 1

ecological niches, 459
ecological stoichiometry, 243
ecology, 15, 419
ecosystem respiration, 515
ecosystems, 201
ectomycorrhiza, 147, 375, 383, 389, 527
Ectomycorrhiza (ECM), 7
ectomycorrhizal fungi, 193, 317, 401
ectomycorrhizal fungus, 505
ectomycorrhizas, 183, 297
ectopic lignification, 17
elevated CO_2, 423
endophytes, 413, 467
environmental gradients, 493
environmental plasticity, 459
enzyme activity, 389
Ericoid mycorrhiza (ERM), 7
ericoid mycorrhizas, 183
erosion, 365
ESTs, 1
ethylene (C_2H_4), 267
evolution, 15, 165, 201
exponential growth, 515
expressed sequence tag (EST), 505
expression cloning, 505
extracellular enzymes, 193
extramatrical mycelium, 389
extraradical mycorrhizal networks, 175

facilitation, 375
fasciclin-like AGP, 107
fen, 451
fibre, 63
field trial, 137
filamentous fungi, 4
fitness, 543
floral initiation, 43
flowering time, 43
functional complementation, 83
functional diversity, 357
functional genomics, 1, 63, 73
fungal infectivity, 485
fungi, 459

G-fibre, 107
γ-rays, 279
gas exchange, 305
genet distribution, 527
genetic adaptation, 297
genetic differentiation, 401
genomics, 43
germplasm preservation, 73
global change, 347, 419
glomalean fungi, 493
Glomus, 485
Glomus mosseae, 175
glutamine biosynthesis, 137
glutamine synthetase (GS), 389
Glyceria striata, 413
graminaceous plant species, 204
growth and maintenance respiration, 305
gymnosperms, 165

hand-pollination, 543
heavy metal, 83
heavy metal tolerance, 297
Hebeloma cylindrosporum, 505
Helianthemum bicknellii (hoary frostweed), 375
Helianthus annuus, 305
hierarchical position, 305
host range, 337

human impact, 419
Hymenoscyphus ericae, 7
Hymenoscyphus ericae aggregate, 183
hyphae, 477
hyphal fusion, 4
hyphal transport, 477

induced defense, 157
inoculum potential, 375
invertase, 157
iron nutrition, 204
iron trafficking, 204
ISSR (inter-simple sequence repeat), 527

juvenile phase, 43

knockout, 73
korrigan cellulase, 53
labile, 477
lesions, 267
lichenization, 459
lignins, 17
linkage disequilibrium (LD), 95

Macaronesia, 11
macrofungi, 317
Malus domestica (apple), 441
management practices, 423
MAPK, 31
mating system, 543
Medicago sativa, 305
Mediterranean, 11
Melampsora, 95
membrane transport, 505
meta-analysis, 347
metallothionein, 83
microarray, 123
microbial diversity, 201
microfibril angle, 63
molecular phylogeny, 357
molecular techniques, 415
molecular tree biology, 1
monosaccharide transporter, 147
mycelium growth, 357
mycorrhiza-defective, 485
mycorrhizal dependency, 15
mycorrhizal fungi, 347
mycorrhizal symbiosis, 543
mycotrophy, 15

N-acetylhexosaminidase, 193
nested clade analysis, 401
nickel (Ni), 289
nitrate, 451
nitrogen, 383, 441
nitrogen deposition, 451
nitrogen fertilization, 347
nitrogen metabolism, 137
nitrogen nutrition, 193
nitrogen uptake, 389
nuclear exchange, 175
nutrient cycling, 317
nutrient demand, 147
nutrient foraging, 4
nutrient limitation, 243, 347
nutrient uptake, 357
nutritional mode, 459

oak savannas, 415, 493
offspring quality, 543
organic nutrients, 383
ozone (O_3), 267

pathogenic development, 31
phenylpropanoid, 17
phosphate, 15
phosphorus (P) concentration, 543
phosphorus fertilization, 347
photosynthesis, 441
phyllotaxy, 157
phylogenetic species recognition, 459
phylogeny, 389
phylogeography, 401
physiological integration, 467
Picea abies, 7
Pinus pentaphylla var. *himekomatsu*, 527
Pinus sylvestris, 7, 183
plant community composition, 415
plant competition, 485
plant diversity, 415
plant–fungal interactions, 467
plant–fungus interaction, 365
plant investment, 347
plant linkages, 175
plant strategies, 243
plant tumors, 337
Plantago lanceolata, 477
plants, 201
pollen irradiation mutagenesis, 279
polyphenol, 157
polysaccharides, 165
Polytrichum commune, 451
poplar, 107
Poplar Mosaic Virus, 123
poplars, 53
population structure, 297
Populus, 43, 63, 73, 123, 137, 157
Populus (poplar), 1, 95
Populus trichocarpa × *P. deltoides*, 83
protoplasts, 289
pseudo-dominants, 279
pteridophytes, 165

Quaternary, 11
Quercus spp. (oak), 375

recombination repression, 95
regulation, 147
relative growth rate, 305
relative growth rate (RGR), 543
remobilization, 441
ribosomal DNA, 401
root development, 83
root hairs, 15
root system architecture, 15

saprotrophic fungi, 317
savanna, 375
Scorpidium scorpioides, 451
Scots pine (*Pinus sylvestris*), 515
secondary cell wall, 63
seedling establishment, 375
senescence, 83, 441
signalling, 31
sink strength, 157
soil aggregation, 365
soil organic matter, 423
Solanum tuberosum (potato), 267
source–sink relationship, 441
speciation, 11
species richness, 243, 493
Sphagnum squarrosum, 451
stable isotopes, 317
strategy II, 204
sucrose synthase, 53
Suillus luteus, 297, 515
Suillus pictus, 527
symbiosis, 459
symbiotic fungi, 413
systemic fungi, 467

tannins, 165
temperate grasslands, 423
tension wood, 63, 107
Thelephora terrestris, 515
Thlaspi caerulescens, 289
tissue nutrient concentrations, 243
tomato (*Lycopersicon esculentum*), 485
transcription, 17, 123, 389
transcription initiation site, 389
transcriptome, 123
transgenic trees, 1, 137

transpiration, 441
tree maturation, 43
truffle, 401

urban ecosystems, 419
Ustilago maydis, 31, 337

Vaccinium myrtillus, 7, 183
vascular plants, 165
vitrification, 73

water stable aggregates, 365
wood development, 53
wood formation, 63
wounding, 123

xylem differentiation, 107

zinc (Zn), 289